

I hereby certify that the documents stated below are being transmitted to the Central Facsimile Number, at the U.S. Patent and Trademark Office, Fax No. 571.273.8300 on 12-22-2005

Dennis Kuoil
Name of Depositor
Dennis Kuoil
Signature
12-22-2005
Date of Deposit

RECEIVED
CENTRAL FAX CENTER
DEC 22 2005

JOHNS MANVILLE
Intellectual Property
10100 West Ute Avenue
Littleton, Colorado 80127
(303) 978-2000

Case Docket No. 7362
Date: November 10, 2005

THE COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Re: Application of: Kajander
Serial No.: 10/780,069
Filed: February 17, 2004
For: COATED MAT PRODUCTS, LAMINATES AND METHOD

Examiner: SINGH, Artir
Art Unit: 1771
Confirmation No.

Sir:

Transmitted herewith is/are the following document(s) related to the above-identified application:

- | | |
|---|--|
| <input type="checkbox"/> Acknowledgment of receipt card. | <input checked="" type="checkbox"/> Response to Office Action dated August 25, 2005 (7 pages). |
| <input type="checkbox"/> Declaration & Power of Attorney. | <input type="checkbox"/> Certified copy of Declaration & Power of Attorney (Attachment B). |
| <input type="checkbox"/> 2 Sheets Drawings. | <input type="checkbox"/> 1 Sheet of Drawings (Attachment D). |

Please extend the time for responding to the Office Action one (1) month(s) to 12/25/05.

The fee has been calculated as shown below:

☒ Charge \$110.00 to Deposit Account No. 10-0625.

☒ Please charge any additional fees or credit overpayment to Deposit Account No. 10-0625.

☒ Two additional copies of this sheet are enclosed.

Robert D. Touslee
Registration No. 34,032
303.978.3927
Customer No. 29602

Robert D. Touslee
Attorney

DEC 22 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Kajander

Art Unit: 1771

Serial No. 10/780,069

Case Docket No.7362

Filed: February 17, 2004

Examiner: Ms. Artir Singh

For: **COATED MAT PRODUCTS, LAMINATES AND METHOD**

Commissioner of Patents and Trademarks
Washington, D.C.

Dear Sir:

Amendment and Request For Reconsideration

In response to the First Office Action mailed August 25, 2005, please
amend the title to read as follows:

Laminate Containing A Coated Nowoven Mat With A Smooth Surface

Please replace Example 3 on page 14 of the specification with the following:

Example 3

The same procedure as example 2 [1] above was used, but a thicker coating having a dry coating weight of 29.8grams /sq. ft. was applied, yielding an Ra of 1.2 microns and an Ry of 18.4 microns on the surface of the dry coated mat.